

Package: pipefittr (via r-universe)

November 1, 2024

Type Package

Title Convert Nested Functions to Pipes

Version 0.1.2

Author Houston R Users, Neeraj Tandon, Ed Goodwin, Ju Yeong Kim, Sahil Seth

Maintainer Sahil Seth <me@sahilseth.com>

Description To take nested function calls and convert them to a more readable form using pipes from package 'magrittr'.

Depends R (>= 3.0.0)

Imports magrittr, miniUI (>= 0.1.1), rstudioapi (>= 0.4), shiny (>= 0.13), stringr

Suggests testthat

License MIT + file LICENSE

LazyData TRUE

RoxygenNote 5.0.1

NeedsCompilation no

Date/Publication 2016-09-14 21:44:10

Repository <https://sahilseth.r-universe.dev>

RemoteUrl <https://github.com/cran/pipefittr>

RemoteRef HEAD

RemoteSha f22f9814522cfa86b46852045c2ae8f38faac66b

Contents

make_list	2
make_output	2
pipefittr	2
splitlisttodf	3
splitmultistrtolist	3

Index	4
--------------	----------

make_list *make_list*

Description

make_list

Usage

make_list(string)

Arguments

string a string to be converted into a list

make_output *make_output*

Description

make_output

Usage

make_output(funclist)

Arguments

funclist a list of functions

pipefittr *Convert nested calls to magrittr's pipes.*

Description

To take nested function calls and convert them to a more readable form using magrittr's pipes.

Usage

pipefittr(string, pretty = F)

Arguments

string a string, to be converted into magrittr's pipe syntax
pretty create a multiline output, which is prettier. Try this.

Examples

```
teststring = "jump_on(bop_on( scoop_up( hop_through(foo_foo, forest), field_mouse ), head))"  
pipefittr(teststring, pretty = TRUE)
```

splitlisttodf	<i>Splits list into a data.frame</i>
---------------	--------------------------------------

Description

Splits list into a data.frame

Usage

```
splitlisttodf(listtosplit)
```

Arguments

listtosplit a list to be converted into a data.frame

splitmultistrtolist	<i>Splits string into a list</i>
---------------------	----------------------------------

Description

Splits string into a list

Usage

```
splitmultistrtolist(stringtosplit)
```

Arguments

stringtosplit a string to be split

Index

`make_list`, 2

`make_output`, 2

`pipefittr`, 2

`splitlisttodf`, 3

`splitmultistrtolist`, 3